

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

M





FIG. 2F is a schematic diagram of a curved structure, possibly a segment of a ring or a curved beam. The structure is composed of several segments. A central segment is shaded with diagonal lines and is labeled 202. To its right is a curved segment labeled 205, which is further divided into two sub-segments labeled 208 and 209. To the left of the central segment is a trapezoidal segment labeled 203. Below segment 203 is a curved segment labeled 204, which has a wavy, sawtooth-like bottom edge. An arrow labeled 201 points downwards towards the central segment 202.

FIG. 2F






FIG. 26

20060708 08:46:45



A schematic diagram of a shoe sole assembly in cross-section. The sole is composed of several layers: a top layer (241), a middle layer (240), and a bottom layer (242). A curved line (239) indicates the boundary between the sole and the upper part of the shoe. An arrow points to the sole assembly.

FIG. 2K

FIG. 2K

FIG. 2L shows a perspective view of a medical device with a textured distal tip. The device has a main shaft (289) and a distal tip (290). A textured region (291) is located at the distal end of the shaft. A cross-sectional view (293) shows a circular cross-section with a textured interior (292) and a smooth exterior (294). A dashed line (288) indicates the transition between the shaft and the tip.

FIG. 2M shows a perspective view of a medical device with a textured distal tip. The device has a main shaft (254) and a distal tip (255). A textured region (256) is located at the distal end of the shaft. A cross-sectional view (260) shows a circular cross-section with a textured interior (261) and a smooth exterior (262). A dashed line (257) indicates the transition between the shaft and the tip. A cross-sectional view (264) shows a circular cross-section with a textured interior (265) and a smooth exterior (266). A dashed line (263) indicates the transition between the shaft and the tip.

FIG. 2 L

FIG. 2M








FIG. 2N

2025 RELEASE UNDER E.O. 14176

TOP VIEW Δ A/P offset



SIDE VIEW Δ Vert. offset





FIG. 25






FIG. 29



[illegible]

2036a 2036b 2036c 2037a 2037b 2037c





FIG. 2Y



2040 2040a 2040b 2040c 2041 2041a 2041b 2041c 2041d 2041e 2041f 2041g 2041h 2041i 2041j 2041k 2041l 2041m 2041n 2041o 2041p 2041q 2041r 2041s 2041t 2041u 2041v 2041w 2041x 2041y 2041z

FIG. 2Z








FIG. 2AA





[illegible]

Fig. 2AF




FIG. 2AG




FIG. 3A




FIG. 3B




FIG. 38




FIG. 3D




FIG. 3E




FIG. 3H




FIG. 3F




FIG. 3G

FIG 31








FIG 35






[illegible]

Fig 3N




Fig 30
continuous diamend surface


[illegible]

FIG. 3R





FIG. 37





Fig. 3A






FIG. 4A




FIG. 4B



FIG. 4BB




FIG. 4C




FIG. 4D




FIG. 5A




FIG. 5B

2025 RELEASE UNDER E.O. 14176

FIG. 5C







FIG. 5D











FIG. 56







FIG. 7





FIG. 8

FIG. 8B




FIG. 8B

FIG. 9.




FIG. 10




FIG. 11




FIG. 12

